

# Cable management wire

■ Vertical cable management wire trough including mounting rails for RMA-N1/RZA-N1/RTA/RVA/RDA free-standing cabinets in width of 800 mm. The wire troughs with a cross-section of 100/200/300x50 mm are designed for this purpose, the surface is galvanized. Trough lengths are 1200 mm for cabinet heights 27/32/37U and 1700 mm for cabinet heights 42/45/47U. The mounting profiles and brackets for fixing the wire trough are made of 1.3 mm thick steel sheet with a powder-coated finish. The set is designed for mounting on the depth of the cabinet, between the front and rear skeleton rail, in the area of the side cover. This makes efficient use of the space between 19" rails and cabinet side walls.

## ■ RAC-VZ-Dxx-X/Yx

Cable management wire trough including mounting rails.

### Included (for each piece) according to type Xx/Yx

- Screw M5 x 12 with integrated corrugated washer ..... 8/12x
- Screw M6 x 12 ..... 8/12x
- Plastic washer ..... 8/12x
- Captive nut M6 ..... 8/12x

Cable Management



### RAC-VZ-Dxx-X/Yx Cable management wire trough including mounting rails

for RMA-N1/RZA-N1/RTA/RVA/RDA types

Type	Cabinet height (U)	Cabinet depth (mm)	Trough width (mm)	
RAC-VZ-D06-X2	27/32/37U	600	200	
RAC-VZ-D08-X3		800	300	
RAC-VZ-D09-X3		900		
RAC-VZ-D10-X3		1000		
RAC-VZ-D11-X3		1100		
RAC-VZ-D12-X3		1200	300	
RAC-VZ-D06-Y2	42/45/47U	600		200
RAC-VZ-D08-Y3		800		300
RAC-VZ-D09-Y3		900		
RAC-VZ-D10-Y3		1000		
RAC-VZ-D11-Y3		1100		
RAC-VZ-D12-Y3		1200		

**100 mm trough for RMA-N1, RZA-N1, RTA, RDA including mounting rails**

Type	Cabinet depth (mm)	Cabinet height (U)	Cross-section of the trough (mm)	Trough length (mm)
RAC-VZ-D06-X1	600	27U, 32U, 37U	100 x 50	1200
RAC-VZ-D08-X1	800			
RAC-VZ-D09-X1	900			
RAC-VZ-D10-X1	1000			
RAC-VZ-D11-X1	1100			
RAC-VZ-D12-X1	1200			

**200 mm trough for RMA-N1, RZA-N1, RTA, RDA including mounting rails**

Type	Cabinet depth (mm)	Cabinet height (U)	Cross-section of the trough (mm)	Trough length (mm)
RAC-VZ-D06-X2	600	27U, 32U, 37U	200 x 50	1200
RAC-VZ-D08-X2	800			
RAC-VZ-D09-X2	900			
RAC-VZ-D10-X2	1000			
RAC-VZ-D11-X2	1100			
RAC-VZ-D12-X2	1200			

**300 mm trough for RMA-N1, RZA-N1, RTA, RDA including mounting rails**

Type	Cabinet depth (mm)	Cabinet height (U)	Cross-section of the trough (mm)	Trough length (mm)
RAC-VZ-D06-X3	600	27U, 32U, 37U	300 x 50	1200
RAC-VZ-D08-X3	800			
RAC-VZ-D09-X3	900			
RAC-VZ-D10-X3	1000			
RAC-VZ-D11-X3	1100			
RAC-VZ-D12-X3	1200			

**100 mm trough for RMA-N1, RZA-N1, RTA, RDA including mounting rails**

Type	Cabinet depth (mm)	Cabinet height (U)	Cross-section of the trough (mm)	Trough length (mm)
RAC-VZ-D06-Y1	600	42U, 45U, 47U	100 x 50	1700
RAC-VZ-D08-Y1	800			
RAC-VZ-D09-Y1	900			
RAC-VZ-D10-Y1	1000			
RAC-VZ-D11-Y1	1100			
RAC-VZ-D12-Y1	1200			

**200 mm trough for RMA-N1, RZA-N1, RTA, RDA including mounting rails**

Type	Cabinet depth (mm)	Cabinet height (U)	Cross-section of the trough (mm)	Trough length (mm)
RAC-VZ-D06-Y2	600	42U, 45U, 47U	200 x 50	1700
RAC-VZ-D08-Y2	800			
RAC-VZ-D09-Y2	900			
RAC-VZ-D10-Y2	1000			
RAC-VZ-D11-Y2	1100			
RAC-VZ-D12-Y2	1200			

**300 mm trough for RMA-N1, RZA-N1, RTA, RDA including mounting rails**


Type	Cabinet depth (mm)	Cabinet height (U)	Cross-section of the trough (mm)	Trough length (mm)
RAC-VZ-D06-Y3	600	42U, 45U, 47U	300 x 50	1700
RAC-VZ-D08-Y3	800			
RAC-VZ-D09-Y3	900			
RAC-VZ-D10-Y3	1000			
RAC-VZ-D11-Y3	1100			
RAC-VZ-D12-Y3	1200			



RAX-DR-X01-X1

**■ RAX-DR-X01-X1**

Rear holder of shelves for RBA wall mounted cabinets (pair).



RAX-RV-X01-X2

**■ RAX-RV-X01-X2**


Adapter 23"/21" and 21"/19" universal for 1U (pair).



RAX-DR-X02-X1

**■ RAX-DR-X02-X1**

Shelf holders for middle vertical rail of free-standing cabinets deeper than 800 mm (pair).



RAB-VP-X12-X1

**■ RAB-VP-X12-X1, RAC-VP-X12-X1**

Special cable management panel is intended for installation on cabinet's vertical rails and on vertical perforation in the rear section of wall-mounted cabinets.

The easy fixing system consists in hanging on the vertical rail. A contra directional pin prevents an undesirable release.

**Width 170 mm, height 150 mm.**



RAX-DR-X03-X1

**■ RAX-DR-X03-X1**

Holder for middle rail (pair), allows installation of standard 19" equipment.

**Supply**

Screw M6 x 10 .....	4x
Plastic washer .....	4x
Captive nut M6 .....	4x



RAB-MS-X21-X1, RAB-MS-X23-X1

**■ RAB-MS-X21-X1, RAC-MS-X21-X1, RAB-MS-X23-X1, RAC-MS-X23-X1**

Plastic cable management ring big / small for cable management 60 x 30 mm / 35 x 30 mm.